



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/506,453	02/18/2000	Atsushi Ito	325772015300	8167

25227 7590 06/16/2005

MORRISON & FOERSTER LLP  
1650 TYSONS BOULEVARD  
SUITE 300  
MCLEAN, VA 22102

EXAMINER

TRAN, DOUGLAS Q

ART UNIT	PAPER NUMBER
----------	--------------

2624

DATE MAILED: 06/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/506,453

Applicant(s)

ITO, ATSUSHI

Examiner

Douglas Q. Tran

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 04 February 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) 11,32-34 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-10 and 12-31 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.

- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

## DETAILED ACTION

### *Election/Restrictions*

1. Claims 11, 32-34 withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected subject matter in which the Applicant reserves the right to file a divisional application.

### *Claim Rejections - 35 USC § 112*

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

For at least claims 1, 3, the limitations of “a message unit for outputting **the message** corresponding to the sending source ...” (emphasis added) renders claims as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention because the message is not clarified yet; what is the message corresponding to the sending source ?

### *Claim Rejections - 35 USC § 103*

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2624

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-10, 12-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Salgado (US Patent No. 5,777,882) and Hasegawa (US Patent No. 5,534,974).

As to claim 1, teaches a printer comprising:

memory (i.e., a list from database) for registering a sending source of a print job sent from a data processing device, and a message corresponding to the sending source (col. 12, lines 25-28);

a printing unit (14 in fig. 1 and 4) for printing according to the print job;

a controller (100 in fig. 1) for detecting a sending source corresponding to an output destination based on the information of the print job sent from the data processing device, and detecting whether the sending source has been registered in the memory(step of 212 in fig. 3).

Although, Salgado teaches the print job containing information indicative of a sending source, Salgado does not teach the print job containing information indicative of a sending source and output destination and a messaging unit for outputting the message corresponding to the sending source when the controller detects that the sending source has been registered

Hasegawa teaches the print job containing information indicative of a sending source and output destination (col. 4, lines 55-58); and a messaging unit for outputting the message corresponding to the sending source when the controller detects that the sending source has been registered (step of S13 in fig. 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Salgado in order for the print job to include the

Art Unit: 2624

output destination and message is outputted corresponding to the sending source as taught by Hasegawa. The suggestion for modifying the system of Salgado can be reasoned by one of ordinary skill in the art as set forth above by Hasegawa because such modification would increase the efficiency of the system when allowing the user can deliver the print job to his desired location and get a message based on the status of that print job.

As to claim 2, Salgado and Hasegawa disclose every feature discussed in claim 1, and Salgado further teaches a plurality of output bins assigned to a plurality of users (11 in fig. 1), wherein:

the memory registers for each user a sending source and message corresponding to the sending source; and printing unit outputs a print out to an output bin assigned to a user indicated by output destination information for a received print job (see fig. 10); and

controller (100 in fig. 1) detects the sending source of the received print job has been registered in the memory as a sending source for the user indicated by the output destination information of the received print job (see fig. 10).

As to claim 3, Salgado discloses a printing system (fig. 2) comprising:

a plurality of data processing devices (i.e., other mailboxing systems, col. 8, lines 28-30);

a printer (14 in fig. 1 and 2) for printing based on a print job sent from a data processing device (15 in fig. 2)

memory (i.e., a list from database) for registering the sending source contained in the print job, and a message corresponding to the sending source (col. 12, lines 25-28);

Art Unit: 2624

a controller (100 in fig. 1) for detecting the sending source corresponding to the output destination based on the print job sent from the data processing device, and detecting whether the sending source has been registered in the memory (step of 212 in fig. 3); and

a messaging unit for outputting the message corresponding to the sending source when the sending source has been registered (col. 12, lines 1-6).

Although, Salgado teaches the print job containing information indicative of a sending source, Salgado does not teach the print job containing information indicative of a sending source and output destination.

Hasegawa teaches the print job containing information indicative of a sending source and output destination (col. 4, lines 55-58).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Salgado in order for the print job to include the output destination as taught by Hasegawa. The suggestion for modifying the system of Salgado can be reasoned by one of ordinary skill in the art as set forth above by Hasegawa because such modification would increase the efficiency of the system when allowing the user can deliver the print job to his desired location.

As to claim 4, Salgado and Hasegawa disclose every feature discussed in claim 3, and Salgado further teaches the memory is disposed in the printer (see step of 212 in fig. 3).

As to claim 5, Salgado and Hasegawa disclose every feature discussed in claim 3, and Hasegawa further teaches the memory is disposed in the data processing device (col. 4, lines 25-27).

Art Unit: 2624

As to claim 6, Salgado and Hasegawa disclose every feature discussed in claim 3, and Salgado further teaches the controller is disposed in the printer (100 in fig. 1).

As to claim 7, Salgado and Hasegawa disclose every feature discussed in claim 3, and Hasegawa further teaches controller is disposed in the data processing device. (col. 4, lines 25-27).

As to claims 8 and 9, Salgado and Hasegawa disclose every feature discussed in claim 3, and Hasegawa further teaches message unit is disposed in the printer or the data processing device (col. 4, lines 23-27).

As to claim 10, Salgado and Hasegawa disclose every feature discussed in claim 3, and further teaches the printer further comprises a plurality of output bins assigned to a plurality of users, wherein the memory registers for each user the sending source and message corresponding to the sending source have been registered on the memory for each user; the printing unit outputs a printout to an output bin assigned to a user indicated by output destination information for a received print job; and controller detects whether the sending source of the received print job has been registered in the memory as a sending source for the user indicated by the output destination information of the received print job (see step of 212 in fig 3 and table of User Profile db in fig. 10).

As to claim 12, Salgado discloses a printer comprising:

memory (i.e., a list from database) for registering a sending source of a print job sent from a data processing device, and a message corresponding to the sending source (col. 12, lines 25-28);

a printing unit (14 in fig. 1 and 4) for printing according to the print job;

Art Unit: 2624

a controller (100 in fig. 1) for detecting a sending source corresponding to an output destination based on the information of the print job sent from the data processing device, and detecting whether the sending source has been registered in the memory(step of 212 in fig. 3);

Although, Salgado teaches the print job containing information indicative of a sending source, Salgado does not teach the print job containing information indicative of a sending source and output destination; and the controller instructs the printing unit to print them when the sending source has been registered.

Hasegawa teaches the print job containing information indicative of a sending source and output destination (col. 4, lines 55-58), and the controller instructs the printing unit to print them when the sending source has been registered (step of S12 and S14 in fig. 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Salgado in order for the print job to include the output destination and print out when the sending source has been registered as taught by Hasegawa. The suggestion for modifying the system of Salgado can be reasoned by one of ordinary skill in the art as set forth above by Hasegawa because such modification would increase the efficiency of the system when allowing the user can deliver the print job to his desired location.

As to claim 13, due to the similarity of this claim to that of claim 2, this claim is rejected as the reasons applied to claim 2.

As to claim 14, Salgado a command unit for instructing the controller to delete a received print job when he controller detects that the sending source has not been registered in the

Art Unit: 2624

memory (note: step of 212 in fig. 3 indicates that any registered user is displayed on the screen, thus any print job of the unregistered user should be deleted).

As to claim 15, Hasegawa a storage unit for storing a received print job when the controller detects that the sending source has not been registered in memory; and messaging unit for indicating that a print job has been received from a sending source not permitted to print; wherein the controller instructs the printing unit to print a print job stored in the storage unit based on a print command from a user (col. 3, lines 62-65).

As to claim 16, Salgado a command unit for instructing the controller to delete a received print job when the controller detects that the sending source has not been registered in the memory (note: step of 212 in fig. 3 indicates that any registered user is displayed on the screen, thus any print job of the unregistered user should be deleted).

As to claim 17, Salgado discloses a printing system (fig. 2) comprising:  
a plurality of data processing devices (i.e., other mailboxing systems, col. 8, lines 28-30);  
a printer (14 in fig. 1 and 2) for printing based on a print job sent from a data processing device (15 in fig. 2)

memory (i.e., a list from database) for registering the sending source contained in the print job, and a message corresponding to the sending source (col. 12, lines 25-28);

a controller (100 in fig. 1) for detecting the sending source corresponding to the output destination based on the print job sent from the data processing device, and detecting whether the sending source has been registered in the memory (step of 212 in fig. 3).

Although, Salgado teaches the print job containing information indicative of a sending source, Salgado does not teach the print job containing information indicative of a sending

Art Unit: 2624

source and output destination; and the controller instructs the printing unit to print them when the sending source has been registered.

Hasegawa teaches the print job containing information indicative of a sending source and output destination (col. 4, lines 55-58), and the controller instructs the printing unit to print them when the sending source has been registered (step of S12 and S14 in fig. 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Salgado in order for the print job to include the output destination and print out when the sending source has been registered as taught by Hasegawa. The suggestion for modifying the system of Salgado can be reasoned by one of ordinary skill in the art as set forth above by Hasegawa because such modification would increase the efficiency of the system when allowing the user can deliver the print job to his desired location.

As to claims 18-26, due to the similarities of these claims to those of claims 4-7 and 10, these claims are rejected as the reasons applied to claims 4-7 and 10, 14-16

As to claims 27-31, due to the similarities of these claims to those of claims 4-5, 8-9, these claims are rejected as the reasons applied to claims 14, 4-5, 8-9.

### ***Conclusion***

Applicant's arguments with respect to claims 1-10 have been considered but are moot in view of the new ground(s) of rejection. This action is made **non-final**.

Application/Control Number: 09/506,453


Page 10

Art Unit: 2624

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas Q. Tran whose telephone number is (571) 272-7442 or E-mail address is [douglas.tran@uspto.gov](mailto:douglas.tran@uspto.gov).

Douglas Q. Tran

June 10, 2005

A handwritten signature in black ink, appearing to read "Tran Douglas", with a long, sweeping horizontal stroke extending to the right.